

IN THE CLAIMS:

Kindly amend claim 3 and add claims 10-12, all without prejudice, as follows:

1. (Originally submitted) A medication reminder for a bottle tapered from a small generally circular bottom end to a large generally circular open mouth, the device comprising

a C-shaped support including a pair of arms having spaced apart ends, the support being sized to receive the small bottom end of the bottle and resilient to expand and thereby captivate an intermediate section of the bottle; and

a circuit carried by the support including a battery receiver, an alarm, circuitry connecting the battery receiver and the alarm for energizing the alarm at predetermined times and a normally off switch exposed through an interior of the C-shaped support for closing the circuitry and starting the timer in response to placing a bottle into the interior of the support.

2. (Originally submitted) The medication reminder device of claim 1 wherein the C-shaped support provides a cavity having the circuit therein.

3. (Currently amended) The medication reminder device of claim 2 wherein the C-shaped support is made of a pair of hollow C-shaped

halves ~~plurality of components~~ joined together to provide the cavity between the C-shaped halves therein.

4. (Originally submitted) The medication reminder device of claim 2 wherein the circuit provides a timer and the circuitry includes an adjusting device for adjusting the duration between energizing of the alarm, the adjusting device being exposed through an exterior of the C-shaped support.

5. (Originally submitted) The medication reminder device of claim 2 wherein the circuit provides a receiver including an antenna for receiving a signal from a remote source for energizing the alarm at predetermined times.

6. (Originally submitted) The medication reminder device of claim 1 wherein the C-shaped support is non-opaque and the alarm is a light emitter having an output device inside the support so energization of the light emitter produces light inside the non-opaque support which is visible from exterior of the support.

7. (Originally submitted) The medication reminder device of claim 6 wherein the alarm includes a second light emitter providing a different color from the first mentioned light emitter.

8. (Originally submitted) The medication reminder device of claim 7 wherein the circuitry provides for alternately energizing the first light emitter and the second light emitter.

9. (Originally submitted) The medication reminder device of claim 1 wherein the battery terminals include terminals exposed through the support for engagement with a battery charger for recharging a battery in the battery receiver.

10. (Newly submitted) The medication reminder device of claim 3 wherein the C-shaped halves provide, inside the cavity, registration devices aligning the C-shaped halves with each other.

11. (Newly submitted) The medication reminder device of claim 10 wherein the circuitry is mounted on a circuit board having a switch button thereon, the C-shaped support providing an opening through which the switch button extends.

12. (Newly submitted) The medication reminder device of claim 11 wherein the C-shaped halves provide, inside the cavity, at least one location device positioning the circuit board in a position where the switch button extends through the opening.